


Uni-ram

CASCADE

AUTOMATIC SPRAY GUN CLEANERS



Cascade Automatic Spray Gun Cleaners clean the interior and exterior of spray-guns and pots in *under 60 seconds*



ECONOMY MODELS

UG110

- Cleans 1 Spray Gun and Pot.
- Stainless steel cleaning tank.



Wash Timer

(A) Commercial Pail not included



UG2000D

- Same as UG110 except it cleans 2 guns and 2 pots.
- UG2000DM is also available includes Flow-through brush.

UM80S, Wall Mount

- Cleans spray gun with disposable cup system.
- Nozzle to flush paint channel in 30 seconds and brush to wash Spray Gun.
- 2 diaphragm pumps.



Nozzle

Stainless Steel Wash Tank (UG2000DM & higher)



- Flow-through Brush
- Jets
- Location for Spray Gun pot
- Spray Gun
- Nozzle Extension (under spray gun)
- Air Plug

Getting Ready For The Next Paint Job is Quick and Easy

- 1 Load the Stainless Steel Tank with dirty spray guns.
- 2 Activate the wash, simply by turning the Wash Timer. Streams of solvent from jets and nozzles wash paint from the inside and outside of the guns and pots. In under 60 seconds, spray guns and pots are clean and ready for use.
- 3 Wash Solvent returns to the Wash Pail for reuse.

On All Models

- Wash cycle is powered by heavy-duty dual DIAPHRAGM PUMP, complete with air pressure regulator.
- CE approval on popular models.
- Safety switch terminates cleaning cycle when lid is raised.
- Cleaning tanks, suction pipe, delivery tubes & rinse pump are constructed from corrosive resistant stainless steel.
- 4 Nozzle extensions included to effectively accommodate disposable cup systems, conventional cup systems, pressure fed spray guns and syphon spray guns.



SPRAY GUN CLEANERS

MODELS WITH AUTOMATIC WASH & RINSE

Standard Features for UG4000D - UG7500

- Clean spray guns automatically in under 60 seconds.
- Enhanced Cleaning cycle consists of Wash, Clean Rinse (100cc) and Air Flush.
- Clean 2 Spray Guns and 2 Pots.
- 14 Swirl Action Jets.
- Build-in Vent for automatic fume extraction with Vent Control.
- Non-corrosive HDPE Pail; operator sees the solvent level.
- Stainless steel inlet filter on suction tube in wash pail to prevent debris from reaching the diaphragm pump and the cleaning tank. See photo on right. Inlet filter is removable for cleaning.



Stainless Steel Inlet Filter



UG4000D

- Manual Cleaning using Flow-through brush; solvent flow activated by foot pedal.
- Tank Size: 17.25 x 13.5 x 14.25 (WDH").
- One wash pail on floor inside cabinet.



UG6000

- Manual Wash using a Flow-through Brush to clean outside of Spray Gun, Spigot to flush the paint channel.
- Regulated solvent flow to the Brush and Spigot is Pump driven and activated by separate foot pedals.
- 304 stainless steel cabinet.
- Tank is larger than tank of UG4000D: 20 x 17 x 14.25 (WDH") vs 17.25 x 13.5 x 14.25 (WDH").
- 18 Gauge polished stainless steel body vs 22 gauge for UG4000D.

PLUS MANUAL CLEANING

UG7500E, Top Of The Line

- Clean spray gun automatically in the stainless steel tank (left side) 17.25 x 13.5 x 14.25 (WDH”).
- Wash and rinse spray guns manually above large, conveniently located sink.
- Manual wash with Wash Solvent using Flow through Brush.
- Clean-rinse guns using flexible spigot.
- Control overhead venting with On/Off switch.
- “Combo Ready” (ready for connection to a Uni-ram “EP2” Series Solvent Recycler.



Automatic Wash Tank

Flow-Trough
Brush

Spigot

Wash Tank



Accessories included with all Gun Cleaners

- Trigger Holding Clamp and a Knurled Nut to prevent solvent from entering air passage of Spray Gun.
- Operator's Manual.
- 4 nozzle Extensions; select the nozzle extension that matches the diameter of the opening of the fluid passage way of the Spray Gun.



THE COMPLETE SOLUTION FOR CLEANING SPRAY GUNS

Uni-ram Spray Gun Cleaner with Automatic Solvent Recycling

A Uni-ram RECYCLER eliminates the Need to Haul Dirty Solvent Off-site for disposal providing a "GREENER" shop operation

URS500EP2 Solvent Recycler



Timers

No Pails to lift

UG7500E Spray Gun Cleaner



- A solvent recycler provides clean solvent every day. Clean solvent washes spray guns better and faster.
- **Eliminates unnecessary solvent purchases. Dramatically lowers solvent purchases and disposal costs.**
- Recycles solvent from the spray gun cleaner at the press of a button; easy to use.
- Continue to clean spray guns while the recycler operates.
- Recycler certified to UL Standard 2208 and CSA 22.2, No. 88. Approved for use in non-hazardous and in hazardous locations, Class 1, Division 1, Group D.

URS500EP2 High Performance Solvent Recycler

- Fast Cook Times 4-6 hrs
- Power Supply: 120 V, 1500 W Heater
- Recycles 5 Gal (20L)

COMBINE your spray gun cleaner of choice, a UG4000E OR A UG7500E with a URS500EP2.

Turn a timer on URS500EP2 to transfer used solvent to the solvent recycler for recycling and turn a second timer to transfer previously recycled solvent to the spray gun cleaner. **No Pails to lift.**



COMBO655 ALL IN ONE COMBO

- Smaller footprint
- 120V, 1500W, 5 Gal High Performance Recycler
- Gun cleaning has features of the model UG6000EH

HEALTH AND SAFETY BENEFITS

- Popular models are CE approved.
- Safety Switch terminates cleaning cycle when lid is raised.
- Automatic cleaning is “Hand Free”. Operator has minimal exposure to solvent. The solvent pail is kept inside the cabinet.
- Most models have a built-in vent for automatic fume extraction.

ENVIRONMENTALLY FRIENDLY

- Wash Solvent is re-used until dirty.
- Dirty Solvent can be recycled using one of Uni-ram’s family of Solvent Recyclers.

AUTOMATIC CLEANING HAS MOVED AHEAD OF CLEANING BY HAND

- Cleaning Spray Guns is faster and easier
 - Cleaning is “hand Free”, less contact with solvent
 - Staff enjoy cleaning with Uni-ram Gun Cleaner
- Solvent consumption is lower by up to 90% Solvent is re-used and can be recycled
 - Lower solvent use means lower solvent cost and a “**GREENER OPERATION**”

Description: Top Loading Automatic Spray Gun Cleaner

Power Supply: Compressed air at a minimum of 85 PSI, 2 CFM

Items Cleaned: Spray Guns (siphon, pressure, gravity feed) and pots

Compatibility: Solvent or aqueous cleaners

FEATURES BY MODEL

MODEL	GUN CLEANED	SOLVENT RINSE	AIR FLUSH	AUTO VENT	MANUAL WASH	MANUAL RINSE	DIAPHRAGM PUMPS	SHIPPING DIMENSIONS (WDH)	WEIGHT (LB/KG)
UG110	1 GUN, 1 POT						1	17 x 17 x 25	45 / 21
UG2000D	2 GUNS, 2 POTS						1	19 x 16 x 43	54 / 25
UG4000D	2 GUNS, 2 POTS	YES	YES	YES	BRUSH*		1	28 x 17 x 45	90 / 41
UG6000D	2 GUNS, 2 POTS	YES	YES	YES	BRUSH*	SPIGOT	3	30 x 28 x 45	120 / 54
UG7500	2 GUNS, 2 POTS	YES	YES	YES	BRUSH*	SPIGOT	3	38 x 26 x 68	185 / 84

*Brush Type - Flow-through brush activated by a foot pedal.

Uni-ram invented the automatic spray gun cleaner in 1988. Shipments to Collision Repair Shops in 30 countries exceed 40,000 units.

Distributors include Sata of Germany and Iwata of Japan. Dealerships for all car manufacturers and the US government under stocking number NSN 4940-21-921-1555 use Uni-ram Spray Gun Cleaners.



CORPORATION www.uniram.com

1 YEAR FULL WARRANTY
2 YEAR EXCHANGE WARRANTY ON PUMPS

381 Bentley Street, Markham ON L3R 9T2
Tel: 800-417-9133 - Fax: 905-477-8922 - sales@uniram.com

Cascade Patent Number: Canada, 1293909
Information subject to change without notice.

U.S.A., 4875836 U.S.A.,
5213117

Europe, EP 0300248
Uni-Ram Corporation

Japan, 1-302098
Uni-Ram Corporation